

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.02.2009

Revision: 19.02.2009

1 Identification of the substance/preparation and of the company/undertaking

- **Product details**
- **Trade name:** DINITROL 501 FC-HM
- **Application of the substance / the preparation** Polyurethane-sealant
- **Manufacturer/Supplier:**
EFTEC AG Hofstrasse 31 CH-8590 Romanshorn, Switzerland
EFTEC Aftermarket GmbH Pyrmonterstr. 76 D-32676 Lügde
- **Further information obtainable from:**
+41(0)71 466 43 00 Customer Support Laboratory
heribert.perler@eftec.ch
- **Information in case of emergency:** +41 44 251 51 51 Swiss Toxicological Information Centre

2 Hazards identification

- **Hazard description:**
Xn Harmful
- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
R 42/43 May cause sensitisation by inhalation and skin contact.
Contains isocyanates. See information supplied by the manufacturer
- **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

3 Composition/information on ingredients

- **Chemical characterization**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 28553-12-0 EINECS: 249-079-5	di-"isononyl" phthalate	10-25%
CAS: 101-68-8 EINECS: 202-966-0	diphenylmethane-4,4'-di-isocyanate ☒ Xn, ☒ Xi; R 20-36/37/38-42/43-48/20	1-5%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
Supply fresh air; consult doctor in case of complaints.
Seek medical treatment in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Call for a doctor immediately.

GB

(Contd. on page 2)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.02.2009

Revision: 19.02.2009

Trade name: DINITROL 501 FC-HM

(Contd. of page 1)

5 Fire-fighting measures

- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray.
Use fire extinguishing methods suitable to surrounding conditions.
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Person-related safety precautions:** Not required.
- **Measures for environmental protection:** Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:**
Pick up mechanically.
Ensure adequate ventilation.

7 Handling and storage

- **Handling:**
- **Information for safe handling:** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Maximum storage temperature:** < 35°C
- **Minimum storage temperature:** > 0°C

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **Ingredients with limit values that require monitoring at the workplace:**

28553-12-0 di-"isononyl" phthalate	
WEL	Long-term value: 5 mg/m ³
101-68-8 diphenylmethane-4,4'-di-isocyanate	
WEL	Short-term value: 0.07 mg/m ³ Long-term value: 0.02 mg/m ³ Sen; as -NCO

- **Additional information:** The lists valid during the making were used as basis.

- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- **Protection of hands:**



Protective gloves

- **Material of gloves:** Rubber gloves

(Contd. on page 3)

GB

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.02.2009

Revision: 19.02.2009

Trade name: DINITROL 501 FC-HM

(Contd. of page 2)

- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling

9 Physical and chemical properties

· General Information

Form:	Fluid
Colour:	Black
Odour:	Characteristic

· Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: 208°C

· **Flash point:** > 100°C

· **Ignition temperature:** 300°C

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower:	0.1 Vol %
Upper:	0.2 Vol %

· **Vapour pressure at 20°C:** 0 hPa

· **Density at 20°C:** 1.2 g/cm³

· Solubility in / Miscibility with water:

Not miscible or difficult to mix.

· Solvent content:

Organic solvents: 0.0 %

· **Solids content:** 99.0 %

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Dangerous reactions** No dangerous reactions known.
- **Dangerous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· Acute toxicity:

· LD/LC50 values relevant for classification:

101-68-8 diphenylmethane-4,4'-di-isocyanate

Oral	LD50	4700 mg/kg (rat)
Inhalative	LC50/4h	370 mg/l (rat)

· Primary irritant effect:

- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.

· Sensitization:

Sensitization possible through inhalation.
Sensitization possible through skin contact.

(Contd. on page 4)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.02.2009

Revision: 19.02.2009

Trade name: DINITROL 501 FC-HM

(Contd. of page 3)

· **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Irritant

· **Sensitisation** May cause sensitisation by inhalation and skin contact.

12 Ecological information

· **Ecotoxicological effects:**

· **Acquatic toxicity:**

101-68-8 diphenylmethane-4,4'-di-isocyanate

LC50 > 100 mg/l (fish)

· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· **Product:**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)
08 04 09	waste adhesives and sealants containing organic solvents or other dangerous substances

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **Land transport ADR/RID (cross-border)**

· **ADR/RID class:** -

· **Maritime transport IMDG:**

· **IMDG Class:** -

· **Marine pollutant:** No

· **Air transport ICAO-TI and IATA-DGR:**

· **ICAO/IATA Class:** -

15 Regulatory information

· **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

(Contd. on page 5)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.02.2009

Revision: 19.02.2009

Trade name: **DINITROL 501 FC-HM**

(Contd. of page 4)

· **Code letter and hazard designation of product:**

Xn Harmful

· **Hazard-determining components of labelling:**

diphenylmethane-4,4'-di-isocyanate

· **Risk phrases:**

42/43 May cause sensitisation by inhalation and skin contact.

· **Safety phrases:**

23 Do not breathe aerosol.

24 Avoid contact with skin.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

37 Wear suitable gloves.

45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

60 This material and its container must be disposed of as hazardous waste.

· **Special labelling of certain preparations:**

Contains isocyanates. See information supplied by the manufacturer

· **National regulations:**

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· **Technical instructions (air):**

Class	Share in %
I	≤ 2,5
III	10-25

· **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant R-phrases**

20 Harmful by inhalation.

36/37/38 Irritating to eyes, respiratory system and skin.

42/43 May cause sensitisation by inhalation and skin contact.

48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.

· **Department issuing MSDS:** Customer Support Laboratory· **Contact:** H. Perler· *** Data compared to the previous version altered.**